

波段 单反射天线系统

	60cm	75cm	100cm	120cm
TX&RX	42.8dBi	44.7dBi	47.1dBi	48.7dBi
()	40.7dBi	42.4dBi	44.9dBi	46.6dBi
TX 29.50—30.00GHz RX 19.20—20.20GHz				
TX 1.2 RX 1.3				
TX 1.0dB RX 1.5dB				
90dB				
-14dB				
TX WR28 Flat RX WR42 Flat				
360°				
0°~ 90°				
-25℃ ~ 55℃ (-13°F ~ 131°F)				
-40℃ ~ 80℃ (-40°F ~ 176°F)				
0% ~ 100% ()				
13m/s				

波段

单反射天线系统



	60cm	75cm	100cm	120cm
TX&RX	37.3dBi	39.1dBi	41.7dBi	43.2dBi
(36.7dBi	38.5dBi	41.1dBi	42.6dBi
	TX 14.00—14.50GHz		RX 12.25—12.75GHz	
	TX 1.2		RX 1.3	
	33dB			
	85dB			
	-14dB			
	WR75 Flat			
	360°			

0° ~ 90°

-25°C ~ 55°C (-13°F ~ 131°F)

-40°C ~ 80°C (-40°F ~ 176°F)

0% ~ 100% ()

13m/s

<http://www.gospel.com>

0755-2775 0518, 2671 6688
0755-2671 6142

028-8783 9922
028-8783 8304

0431-8987 3207

010-3176 1668

0731-8276 9915

0551-6531 3785

©

GOSPELL[®]
— Technology Serves People —